

THE DRYWALL LIFTER
PANELLIFT®

ACCESSORIES

*These add-ons extend the
versatility of your
Panellift® Brand Wallboard Lift
by allowing it to reach lower for loading
and lift higher for added accessibility.*




138-2

DRYWALL LIFTER

186 & 154 EXTENSIONS


Many jobs require a little more height than the standard Panellift® Brand Wallboard Lift. Now you can increase that height with the Panellift® extension accessories.



The **186 extension** extends the reach of the 138-2 Panellift® from 11' to 15'*. It consists of two 6' telescoping sections and cable. It replaces the two 4' telescoping sections and cable of the standard lift. *The 186 raises the loading height by 2 feet and can not be used on an 8 foot ceiling.

The **154 is an 18" extension** that works on either the 138-2 or the 460 Hydraulic Panellift®. Simply place the extension between the telescoping section and the cradle to raise your lift by 18". It is not recommended that you double stack these extensions.

If you need to go higher use the 186 or try our newest Panellift® Drywall Lifter - the model 182.



* All height is measured while the cradle is flat. If you have a sloped ceiling the lift has a greater reach depending on the slope of the ceiling. *It takes about 2 minutes to pull out the 4 foot telescoping sections and replace them with the 6 foot telescoping sections. The loading height is raised by 2' to approximately 58". It is recommended that you only use the 186 when you need the additional height since the added loading height doesn't work well on 8' ceilings.

195 LOADER

No more stooping, bending, and back strain!



Raise the board.



Board tilts back.



Raise as normal.

*The 195 works with the 138-2 (pictured right) and the 460 (pictured above). **The loaders will only load the standard lift and do not work with the extensions.** The 138-2 reaches 11' and the 460 reaches 15' standard.

The 195 Loader attaches in seconds to either the 138-2 or the 460 Panellift® and picks up wallboard at floor level! It can also be added to the Model 182 for a loading height of 20 inches.

If you own a Panellift® Brand Wallboard Lift your system simply isn't complete without it. The loader's unique design allows it to hang on the Panellift®. It can be lifted off the frame in seconds for storage or transportation. The Loader also works well to install wallboards on the lower portion of walls.



Compatibility Chart

Accessory

Model 138-2 Model 460 Model 182

154	X	X	X
186	X		
195	X	X	X
110	X		

NEW PRODUCT

For the extra tall jobs!

182

DRYWALL LIFTER

Our newest Panellift® Drywall Lifter, the Model 182, was specifically made for extra tall jobs. All Steel construction.

It does not require extensions to go higher. It has a maximum reaching height of 15 feet and minimum loading height of 52 inches.

THE DRYWALL LIFTER
PANELLIFT®

1.800.448.0822 Toll Free

1.800.474.9993 FAX

telpromktg@telproinc.com

www.telproinc.com

NEW PRODUCT

*EXCLUSIVELY FOR THE
MODEL 138-2*

110

STORAGE & TRANSPORT CART

This Panellift® Storage Cart and Dolly is designed to take your Panellift® Drywall Lifter everywhere you need it.

It is ergonomically designed to save your back. It takes little space to store your Panellift® Drywall Lifter with this Model 110 Storage Cart and Transport Dolly.

Transporting the unit is a breeze. Just roll it to the next job site or put it in the trunk of your vehicle.

Keep your investment secure. A great safety feature is the on-board Operator's Manual.



PATENT PENDING